



ELECTRO VOICE T-18 & T251



T18


Subwoofer








- DL18MT Manifold Technology™ woofer for reliable, extended low-frequency output
- Subwoofer for augmenting the low-frequency performance of EV stage systems
- Natural high-frequency roll-off
- 400-watt long-term power capacity
- Rugged, road-ready cabinet; metal grille; black carpet finish
- Neutrik Speakon® and 1/4-inch phone jack inputs
- 1 3/8-inch stand mount in top allows use of satellite system





Distance bolts



3.2m
○ □









2X




1X



2X

T18 Parts list



- 1 Eminence Sigma Pro 18" Speaker
- 2 Griffschalen
- 1 versenktes Anschlusspanel, 2x speakon in/out, 2x 6,3mm jack in/out
- 4 Füße
- 1 1m 2wire cable
- 1 metall grill 57x76cm
- 1 Glaswolle
- 7 Abstandsrollen 3cm lang
- 1 wasserfester Holzleim
- X Schrauben 5x40
- X Einschlagmuttern mit Gewinde
- X Gewindeschrauben für Speakerbefestigung

- 2X 63x81cm
- 2X 63 (- doppelte Materialstärke) x61cm
- 1X 63x24,5cm
- 1X 63x23cm
- 2X 63x50cm
- 1X 63x16x8

- 2x 2x2 Länge: ?
- 1X 2x4 Länge: 55cm
- 2x 2,5x2,5 Länge 36cm